

Set Items Description

dialog 12/9/04

-----  
?s lobelia or lobelias or lobelia X hybrid or lobelia X hybrida or Lobeia X hybrids or  
lobelia erinus

2348 LOBELIA  
98 LOBELIAS  
0 LOBELIA X HYBRID  
0 LOBELIA X HYBRIDA  
0 LOBEIA X HYBRIDS  
74 LOBELIA ERINUS

S1 2386 LOBELIA OR LOBELIAS OR LOBELIA X HYBRID OR LOBELIA X  
HYBRIDA OR LOBEIA X HYBRIDS OR LOBELIA ERINUS

?s S1 and Weslospot

2386 S1  
1 WESLOSPOT  
S2 1 S1 AND WESLOSPOT

?s S1 and wesloba

2386 S1  
1 WESLOBA  
S3 1 S1 AND WESLOBA

?t s2/9,k/1

>>>KWIC option is not available in file(s): 399

comprises a close-up view of a typical individual flower of ` **Weslospot**

Description of the Invention:

...0027] Plants of the cultivar **Weslospot** have not been observed under all possible environmental conditions. The phenotype may vary somewhat with...0029] **Lobelia** erinus cultivar **Weslospot** .

...

...0030] Female parent: Proprietary selection of **Lobelia** erinus identified as code number 01P050, not patented0031] Male parent: Proprietary selection of **Lobelia** erinus identified as code number 01P508, not patented...0093] Plants of the new **Lobelia** have not been noted to be resistant to pathogens and pests common to **Lobelia** .

...

...0094] Plants of the new **Lobelia** have been observed to tolerate temperatures

Exemplary or Independent Claim(s):

1. A new and distinct cultivar of **Lobelia** plant named ` **Weslospot** ', as illustrated and described.

?t s3 9,k/1

>>>'9' invalid after set or accession number

? T s3/ 9,k/1

>>>KWIC option is not available in file(s): 399

**3/9,K/1** (Item 1 from file: 654)

DIALOG(R)File 654:US Pat.Full.

(c) Format only 2004 The Dialog Corp. All rts. reserv.

0005827558

**Lobelia** plant named ` **Wesloba** '

Inventor: Westhoff, Heinrich, INV

Assignee: Josef und Heinrich Westhoff-Spezialkulturen (03), Sudlohn, DE

Correspondence Address: Catherine Anne Whealy Proprietary Rights International, P.O. Box 220, Tolar, TX, 76476, US

	Publication Number	Kind	Date	Application Number	Filing Date
	-----	--	-----	-----	-----
Main Patent	US 20040199970	P1	20041007	US 2004805579	20040320
Priority				EP 2003196	20030203

US Classification on document (Main): PLT263000

International Classification (Edition 07): A01H-005/00

Fulltext Word Count: 1739

Number of Claims: 1

Exemplary or Independent Claim Number(s): 1

Number of Drawing Sheets: 1

Number of Figures: 2

Abstract:

A new and distinct cultivar of **Lobelia** plant named ` **Wesloba** ', characterized by its cascading plant habit; freely branching habit; short internodes; freely and uniform flowering habit; and dark blue and white bi-colored flowers

Summary of the Invention:

BOTANICAL CLASSIFICATION/CULTIVAR DESIGNATION

[0001]**Lobelia**xhybrida cultivar **WESLOBA**

## BACKGROUND OF THE INVENTION

[0002] The present Invention relates to a new and distinct cultivar of **Lobelia** plant, botanically known as **Lobelia** erinus, and hereinafter referred to by the name '**Wesloba**'.

[0003] The new **Lobelia** is a product of a planned breeding program conducted by the Inventor in S[u, dieresis or umlaut mark]dlohn, Germany. The objective of the breeding program was to develop new **Lobelia** cultivars with a desirable growth habit and interesting flower colors.

[0004] The new **Lobelia** originated from a cross-pollination made by the Inventor in 2002 of the **Lobelia** erinus cultivar Weslowei, disclosed in U.S. Plant Pat. No. 12,708, as the female, or seed, parent with a proprietary selection of **Lobelia** erinus identified as code number 01P508, not patented, as the male, or pollen, parent. The new **Lobelia** was discovered and selected by the Inventor from within the resultant progeny from the above-mentioned cross-pollination in a controlled environment in S[u, dieresis or umlaut mark]dlohn, Germany in 2002.

[0005] Asexual reproduction since 2002 of the new cultivar by terminal cuttings in a controlled environment in S[u, dieresis or umlaut mark]dlohn, Germany, has shown that the unique features of this new **Lobelia** are stable and reproduced true to type in successive generations

## SUMMARY OF THE INVENTION

[0006] The following traits have been repeatedly observed and are determined to be the unique characteristics of '**Wesloba**'. These characteristics in combination distinguish '**Wesloba**' as a new and distinct cultivar:

- [0007] 1. Cascading plant habit.
- [0008] 2. Freely branching habit with short internodes.
- [0009] 3. Freely and uniform flowering habit
- [0010] 4. Dark blue and white bi-colored flowers.

[0011] Plants of the new **Lobelia** have smaller flowers than plants of the female parent, the cultivar Weslowei. In addition, plants of the new **Lobelia** and the cultivar Weslowei differ in flower color. Plants of the new **Lobelia** have narrower stems than plants of the male parent, a proprietary selection identified as code number 01P508. In addition, plants of the new **Lobelia** have flowers with smaller white markings than flowers of plants of the male parent selection.

[0012] Plants of the new **Lobelia** can be compared to plants of the cultivar Weslobigblue, disclosed in U.S. Plant Pat. No. 12,634. However, in side-by-side comparisons conducted in S[u, dieresis or umlaut mark]dlohn, Germany, plants of the new **Lobelia** differed from plants of the cultivar Weslobigblue in the following characteristics

[0013] 1. Plants of the new **Lobelia** were more compact than plants of the cultivar Weslobigblue.

[0014] 2. Plants of the new **Lobelia** had smaller flowers than plants of the cultivar Weslobigblue.

[0015] 3. Flowers of plants of the new **Lobelia** were darker blue in color than flowers of plants of the cultivar Weslobigblue

Description of the Drawings:

## BRIEF DESCRIPTION OF THE PHOTOGRAPHS

[0016] The accompanying colored photographs illustrate the overall appearance of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited

in the detailed botanical description, which accurately describe the actual colors of the new **Lobelia**. The photograph at the top of the sheet comprises a side close-up view of a typical plant of '**Wesloba**' grown in a container. The photograph at the bottom of the sheet comprises a close-up of a typical flower of '**Wesloba**'

#### Description of the Invention:

##### DETAILED BOTANICAL DESCRIPTION

[0017] Plants of the cultivar **Wesloba** have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature and light intensity without, however, any variance in genotype.

[0018] In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2001 Edition, except where general terms of ordinary dictionary significance are used. Plants used for the description were grown in a glass-covered greenhouse and conditions that closely approximate commercial production conditions during the spring and summer in S[u, dieresis or umlaut mark]dlohn, Germany. Plants used for the above-mentioned photographs and following description were grown as one plant per 12-cm container or three plants per 25-cm hanging basket container. During the production of the plants, day temperatures ranged from 20 to 25 degree C. and night temperatures ranged from 16 to 18 degree C. Plants were pinched once during the production period by removing about 1 to 2 cm of the uppermost apical growing tip. Plants were about 20 weeks from planting when the photographs and description were taken.

##### BOTANICAL CLASSIFICATION

[0019] **Lobelia** erinus cultivar **Wesloba**.

##### PARENTAGE

[0020] Female parent: **Lobelia** erinus, 'Weslowei', disclosed in U.S. Plant Pat. No. 12,708,002. Male parent: Proprietary selection of **Lobelia** erinus identified as code number 01P508, not patented.

##### PROPAGATION

[0022] Type cutting: Terminal vegetative cuttings.

[0023] Time to initiate roots: About 18 to 21 days at 20 degree C.

[0024] Time to develop roots: About 20 to 28 days at 20 degree C. [0025] Root description: Fine, fibrous and well-branched.

##### PLANT DESCRIPTION

[0026] Plant form/habit: Cascading and rounded flowering plants with intense dark blue and white bi-colored flowers. Lateral shoots outwardly spreading; plants uniform and trailing. Freely branching with lateral branches forming at every node; dense and bushy plant habit. Pinching plants will enhance branching. Moderately vigorous growth habit.

[0027] Usage: Appropriate for hanging baskets, window boxes and patio containers.

[0028] Plant height (soil level to top of plant plane): About 16.5 cm.

[0029] Plant length (soil level to lateral branches apices): About 37 cm.

[0030] Plant diameter: About 25 cm.

[0031] Lateral branch description:

[0032]Length.- About 17 cm.

[0033]Diameter.- About 1 mm.

[0034]Internode length.- About 1.4 cm.

[0035]Texture.- Smooth, glabrous.

[0036]Color.- 147A.

[0037] Foliage description:

[0038]Arrangement.- Alternate; simple.

[0039]Basal leaves.- Length: About 4.7 cm. Width: About 2.7 cm. Shape: Elliptic to ovate. Apex: Retuse. Base: Attenuate. Margin: Crenate. Petiole length: About 8 mm.

[0040]Mid -plant leaves.-Length: About 4 cm. Width: About 2.4 cm. Shape: Ovate to round. Apex: Retuse. Base: Attenuate. Margin: Crenate. Petiole length: About 8.4 mm.

[0041]Apical leaves.- Length: About 3 cm. Width: About 6.7 mm. Shape: Oblanceolate. Apex: Acute. Base: Attenuate. Margin: Slightly dentate. Petiole length: Petioles not observed. Texture, all leaves, upper and lower surfaces: Smooth, glabrous.

[0042]Color, all leaves.- Developing foliage, upper surface: 146A. Developing foliage, lower surface: 146B. Fully developed foliage, upper surface: 146A; venation, 146B. Fully developed foliage, lower surface: 146B; venation, 146B.

#### FLOWER DESCRIPTION

[0043] Flower type and habit: Flowers arranged singly at lateral apices. Flowers held mostly outwardly. Flowers persistent. Older flowers are overgrown by new flowers and foliage. Freely and continuously flowering. Flowers not fragrant.

[0044] Flower shape: Tubular with three larger lower petals and two upright petals.

[0045] Natural flowering season: Spring until frost in the autumn.

[0046] Flower longevity on the plant: Longevity of individual flowers is highly dependent on weather conditions; typically three to ten days.

[0047] Flower size:

[0048]Diameter.- About 1.8 cm.

[0049]Depth (height).-About 1.8 cm.

[0050]Tube length.- About 8.7 mm.

[0051]Throat diameter, distal end.- About 4.7 mm.

[0052]Tube diameter, proximal end.- About 2.8 mm.

[0053] Flower buds:

[0054]Length.- About 1 cm.

[0055]Diameter.- About 2.5 mm.

[0056]Shape.- Oblong.

[0057]Color.- Base and towards the mid-section, 145D to 96B to 96D; at

the apex, close to 96A to 96C.

[0058] Petals:

[0059]Arrangement.- Single whorl of five petals, fused; three larger lower petals and two smaller upper petals.

[0060]Three lower petals.- Shape: Obovate. Length, above throat: About 1.1 cm. Width: About 7.6 mm.

[0061]Two upper petals.- Shape: Spatulate. Length, above throat: About 7 mm. Width: About 3 mm.

[0062]Upper and lower petals.- Apex: Cuspidate to round. Margin: Entire. Texture, upper and lower surfaces: Smooth, satiny. Color: When opening, upper surface: Towards the margin 96A; towards the center, 155D. When opening, lower surface: 96B to 96C. Fully opened, upper surface: 96B to 96C, towards the center, 155D. Fully opened, lower surface: 96D to 97B. Throat: 97D; towards the center, 155D; spots, 96A, and stripes, 144A. Tube: 96D to 97A to 97D; spots, 96C, and stripes, 144B.

[0063] Sepals:

[0064]Arrangement.- Single whorl of five sepals, star-shaped calyx.

[0065]Length.- About 7.1 mm.

[0066]Width.- About 1.2 mm.

[0067]Shape.- Triangular to elliptic.

[0068]Apex.- Acute.

[0069]Margin.- Entire.

[0070]Texture, upper and lower surfaces.- Smooth.

[0071]Color, upper and lower surfaces.- 137A.

[0072] Peduncles:

[0073]Appearance.- Wiry.

[0074]Length.- About 2.6 cm.

[0075]Diameter.- About 1 mm.

[0076]Color.- 137A.

[0077] Reproductive organs:

[0078]Stamens.- Quantity per flower: About five, fused. Anther length: About 2.8 mm. Anther diameter: About 2 mm. Anther texture: Pubescent. Anther color: 186A to 91A. Pollen amount: Moderate. Pollen color: 11A.

[0079]Pistils.- Quantity per flower: One. Pistil length: About 7 mm. Stigma shape: Two-parted, ovate. Stigma texture: Pubescent. Stigma color, immature: 86A. Stigma color, mature: 86A. Style length: About 4 mm. Style color: 144B. Ovary color: 144B.

[0080]Seed/fruit.- Seed and fruit production have not been observed.

#### DISEASE/PEST RESISTANCE

[0081] Plants of the new **Lobelia** have not been noted to be resistant to pathogens and pests common to **Lobelia**.

#### TEMPERATURE TOLERANCE

[0082] Plants of the new **Lobelia** have been observed to tolerate

temperatures ranging from 4 to 30 degree C

It is claimed:

Exemplary or Independent Claim(s):

1. A new and distinct cultivar of **Lobelia** plant named '**Wesloba**', as illustrated and described.

**Lobelia** plant named '**Wesloba**'

Abstract:

A new and distinct cultivar of **Lobelia** plant named '**Wesloba**', characterized by its cascading plant habit; freely branching habit; short internodes; freely and uniform flowering...

Summary of the Invention:

...0001] **Lobelia**Xhybrida cultivar **WESLOBA**

...

...0002] The present Invention relates to a new and distinct cultivar of **Lobelia** plant, botanically known as **Lobelia** erinus, and hereinafter referred to by the name '**Wesloba**'.

[...

...0003] The new **Lobelia** is a product of a planned breeding ...or umlaut mark]dlohn, Germany. The objective of the breeding program was to develop new **Lobelia** cultivars with a desirable growth habit and interesting flower colors...

...0004] The new **Lobelia** originated from a cross-pollination made by the Inventor in 2002 of the **Lobelia** erinus cultivar Weslowei, disclosed in U.S. Plant Pat. No. 12,708, as the female, or seed, parent with a proprietary selection of **Lobelia** erinus identified as code number 01P508, not patented, as the male, or pollen, parent. The new **Lobelia** was discovered and selected by the Inventor from within the resultant progeny from the above...

...dieresis or umlaut mark]dlohn, Germany, has shown that the unique features of this new **Lobelia** are stable and reproduced true to type in successive generations...following traits have been repeatedly observed and are determined to be the unique characteristics of '**Wesloba**'. These characteristics in combination distinguish '**Wesloba**' as a new and distinct cultivar...0011] Plants of the new **Lobelia** have smaller flowers than plants of the female parent, the cultivar Weslowei. In addition, plants of the new **Lobelia** and the cultivar Weslowei differ in flower color. Plants of the new **Lobelia** have narrower stems than plants of the male parent, a proprietary selection identified as code number 01P508. In addition, plants of the new **Lobelia** have flowers with smaller white markings than flowers of plants of the male parent selection...

...0012] Plants of the new **Lobelia** can be compared to plants of the cultivar Weslobigblue, disclosed in U.S. Plant Pat...

...comparisons conducted in S[u, dieresis or umlaut mark]dlohn, Germany, plants of the new **Lobelia** differed from plants of the cultivar Weslobigblue in the following characteristics0013] 1. Plants of the new **Lobelia** were more compact than plants of the cultivar Weslobigblue...

...0014] 2. Plants of the new **Lobelia** had smaller flowers than plants of the cultivar Weslobigblue...

...0015] 3. Flowers of plants of the new **Lobelia** were darker blue in color than flowers of plants of the cultivar Weslobigblue

Description of the Drawings:

...cited in the detailed botanical description, which accurately describe the actual colors of the new **Lobelia**. The photograph at the top of the sheet comprises a side close-up view of a typical plant of '**Wesloba**' grown in a container. The photograph at the bottom of the sheet comprises a close-up of a typical flower of '**Wesloba**'

Description of the Invention:

...0017] Plants of the cultivar **Wesloba** have not been observed under all possible environmental conditions. The phenotype may vary somewhat with...0019] **Lobelia** erinus cultivar **Wesloba**.

...  
...0020] Female parent: **Lobelia** erinus, 'Weslowei', disclosed in U.S. Plant Pat. No. 12,708,002. Male parent: Proprietary selection of **Lobelia** erinus identified as code number 01P508, not patented...0081] Plants of the new **Lobelia** have not been noted to be resistant to pathogens and pests common to **Lobelia**.

...  
...0082] Plants of the new **Lobelia** have been observed to tolerate temperatures ranging from 4 to 30 degree C

Exemplary or Independent Claim(s):

1. A new and distinct cultivar of **Lobelia** plant named '**Wesloba**', as illustrated and described.

?



## Hit List

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS				

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 20040199970 P1

Using default format because multiple data bases are involved.

L3: Entry 1 of 1

File: PGPB

Oct 7, 2004

PGPUB-DOCUMENT-NUMBER: 20040199970

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040199970 P1

TITLE: Lobelia plant named 'Wesloba'

PUBLICATION-DATE: October 7, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Westhoff, Heinrich	Sudlohn		DE	

US-CL-CURRENT: PLT/263

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KUIC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Term	Documents
WESLOBA	1
WESLOBAS	0
(WESLOBA AND 1).PGPB,USPT.	1
(L1 AND WESLOBA ).PGPB,USPT.	1

Display Format:

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

## Refine Search

### Search Results -

Term	Documents
WESLOBA	1
WESLOBAS	0
(WESLOBA AND 1).PGPB,USPT.	1
(L1 AND WESLOBA ).PGPB,USPT.	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L3

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Thursday, December 09, 2004   [Printable Copy](#)   [Create Case](#)

Set  
Name   Query  
 side by  
 side

Hit  
Count   Set  
                     Name  
                     result set

*DB=PGPB,USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ*

L3   L1 and wesloba

1   L3

L2   L1 and weslospot

1   L2

L1   (Lobelia or lobelias or lobelia adj X adj hybrida or lobelia adj x adj hybrid  
 or lobelia adj hybrids or lobelia adj erinus)

150   L1

END OF SEARCH HISTORY